




MATERIE PRIME
RAW MATERIAL

| | Descrizione - Description | Type | Page |
|---|--|--------|------|
|  | TUBO LUCIDO H9 POLISHED TUBE H9 | FT | 182 |
|  | TUBO LEVIGATO H8 HONED TUBE H8 | FTL | 182 |
|  | ASTA CROMATA C45 CHROME PLATED ROD C45 | FAC | 183 |
|  | 20MnV6 ASTA CROMATA 20MnV6 CHROME PLATED ROD | FACV | 183 |
|  | 500H ASTA CROMATA 500H CHROME PLATED ROD | FACM | 183 |
|  | TUBO PER CONDUTTURA FEED PIPE | FTE | 184 |
|  | NEW! TUBO PER CONDUTTURA ZINCATO ZINC PLATED FEED PIPE | FTZ | 184 |
|  | GHISA CAST IRON | FGP | 185 |
|  | INOX AISI 316 - TUBO LEVIGATO H8 AISI 316 STAINLESS STEEL - HONED TUBE H8 | FTLX | 185 |
|  | INOX AISI 304 - ASTA CROMATA AISI 304 STAINLESS STEEL - CHROME PLATED ROD | FAX304 | 185 |
|  | INOX AISI 316 - ASTA CROMATA AISI 316 STAINLESS STEEL - CHROME PLATED ROD | FAX316 | 185 |
| | | | |
| | | | |
| | | | |

FT

**TUBO LUCIDO H9
POLISHED TUBE H9**

| Codice Code | Ø Esterno O.D. mm | Ø Interno I.D. mm | kg/m |
|----------------|-------------------------|-------------------------|-------|
| FT03002000 | 30 | 20 | 3,08 |
| FT03502500 | 35 | 25 | 3,70 |
| FT04003000 | 40 | 30 | 4,32 |
| FT04203200 | 42 | 32 | 4,56 |
| FT04503500 | 45 | 35 | 4,93 |
| FT04804000 | 48 | 40 | 4,34 |
| FT05004000 | 50 | 40 | 5,55 |
| FT05504500 | 55 | 45 | 6,17 |
| FT05805000 | 58 | 50 | 5,33 |
| FT06005000 | 60 | 50 | 6,78 |
| FT06205000 | 62 | 50 | 8,29 |
| FT06505000 | 65 | 50 | 10,64 |
| FT06505500 | 65 | 55 | 7,40 |
| FT06806000 | 68 | 60 | 6,31 |
| FT07005500 | 70 | 55 | 11,56 |
| FT07006000 | 70 | 60 | 8,01 |
| FT07206000 | 72 | 60 | 9,77 |
| FT07306300 | 73 | 63 | 8,38 |
| FT07506000 | 75 | 60 | 12,48 |
| FT07506300 | 75 | 63 | 10,21 |
| FT07506500 | 75 | 65 | 8,63 |
| FT07807000 | 78 | 70 | 7,30 |
| FT08006500 | 80 | 65 | 13,41 |
| FT08007000 | 80 | 70 | 9,25 |
| FT08207000 | 82 | 70 | 11,24 |
| FT08507000 | 85 | 70 | 14,33 |
| FT08507500 | 85 | 75 | 9,86 |
| FT09007500 | 90 | 75 | 15,26 |
| FT09008000 | 90 | 80 | 10,48 |
| FT09208000 | 92 | 80 | 12,73 |
| FT09508000 | 95 | 80 | 16,18 |
| FT09508500 | 95 | 85 | 11,10 |
| FT10008500 | 100 | 85 | 17,11 |
| FT10009000 | 100 | 90 | 11,71 |
| FT10209000 | 102 | 90 | 14,21 |
| FT10509000 | 105 | 90 | 18,03 |
| FT11210000 | 112 | 100 | 15,68 |
| FT11510000 | 115 | 100 | 19,87 |
| FT12511000 | 125 | 110 | 21,73 |

MATERIALE : ACCIAIO S1 52.3 DIN 2393 ISO H9
MATERIAL : STEEL S1 52.3 DIN 2393 ISO H9

POSSIAMO FORNIRE TUBI E ASTE TAGLIATI A MISURA
TUBES AND CHROME PLATED RODS CAN BE SUPPLIED CUT TO MEASURE

FTL

**TUBO LEVIGATO H8
HONED TUBE H8**

| Codice Code | Ø Esterno O.D. mm | Ø Interno I.D. mm | kg/m |
|------------------------|-------------------------|-------------------------|--------|
| FTL0350250 NEW! | 35 | 25 | 3,70 |
| FTL0400300 | 40 | 30 | 4,31 |
| FTL0420320 | 42 | 32 | 4,56 |
| FTL0450300 NEW! | 45 | 30 | 6,94 |
| FTL0500400 | 50 | 40 | 5,55 |
| FTL0550400 | 55 | 40 | 8,78 |
| FTL0550450 | 55 | 45 | 6,16 |
| FTL0600400 NEW! | 60 | 40 | 12,33 |
| FTL0600450 NEW! | 60 | 45 | 9,71 |
| FTL0600500 | 60 | 50 | 6,78 |
| FTL0650500 | 65 | 50 | 10,63 |
| FTL0650550 | 65 | 55 | 7,39 |
| FTL0700500 | 70 | 50 | 14,79 |
| FTL0700550 NEW! | 70 | 55 | 11,56 |
| FTL0700600 | 70 | 60 | 8,01 |
| FTL0730630 | 73 | 63 | 8,38 |
| FTL0750600 | 75 | 60 | 12,48 |
| FTL0750630 | 75 | 63 | 10,21 |
| FTL0750650 | 75 | 65 | 8,63 |
| FTL0800600 | 80 | 60 | 17,25 |
| FTL0800650 | 80 | 65 | 13,40 |
| FTL0800700 | 80 | 70 | 9,24 |
| FTL0850700 | 85 | 70 | 14,33 |
| FTL0900700 | 90 | 70 | 19,72 |
| FTL0900750 | 90 | 75 | 15,25 |
| FTL0900800 | 90 | 80 | 10,48 |
| FTL0920800 NEW! | 92 | 80 | 12,72 |
| FTL0950800 | 95 | 80 | 16,18 |
| FTL1000800 | 100 | 80 | 22,18 |
| FTL1000850 | 100 | 85 | 17,10 |
| FTL1050900 | 105 | 90 | 18,02 |
| FTL1100900 | 110 | 90 | 24,65 |
| FTL1100950 | 110 | 95 | 18,95 |
| FTL1151000 | 115 | 100 | 19,87 |
| FTL1201000 | 120 | 100 | 27,11 |
| FTL1201050 | 120 | 105 | 20,80 |
| FTL1251000 | 125 | 100 | 34,66 |
| FTL1251100 | 125 | 110 | 21,73 |
| FTL1301100 | 130 | 110 | 29,58 |
| FTL1301150 | 130 | 115 | 22,65 |
| FTL1351150 NEW! | 135 | 115 | 30,83 |
| FTL1401150 NEW! | 140 | 115 | 39,30 |
| FTL1351200 | 135 | 120 | 23,57 |
| FTL1401200 | 140 | 120 | 32,04 |
| FTL1401250 | 140 | 125 | 24,49 |
| FTL1451250 | 145 | 125 | 33,28 |
| FTL1501250 | 150 | 125 | 42,37 |
| FTL1501300 | 150 | 130 | 34,51 |
| FTL1601400 | 160 | 140 | 36,97 |
| FTL1651400 NEW! | 165 | 140 | 47,01 |
| FTL1701400 | 170 | 140 | 57,31 |
| FTL1701500 | 170 | 150 | 39,44 |
| FTL1801500 NEW! | 180 | 150 | 61,03 |
| FTL1801600 | 180 | 160 | 41,90 |
| FTL1901600 | 190 | 160 | 64,70 |
| FTL2101800 | 210 | 180 | 72,10 |
| FTL2302000 | 230 | 200 | 79,49 |
| FTL2452000 NEW! | 245 | 200 | 123,45 |
| FTL2982500 | 298 | 250 | 166,00 |

MATERIALE : ACCIAIO S1 52.3 DIN 2391 ISO H8
MATERIAL : STEEL S1 52.3 DIN 2391 ISO H8

TUBO IN POLLICI A RICHIESTA
TUBE IN INCHES ON REQUEST

ASTA CROMATA C45
CHROME PLATED ROD C45

FAC

| Codice Code | Ø mm | Ø Pollici Ø Inches | kg/m | Codice Code | Ø mm | Ø Pollici Ø Inches | kg/m |
|-------------|-------|--------------------|-------|-------------|--------|--------------------|--------|
| FAC008L000 | 8.00 | | 0,40 | FAC050L000 | 50.00 | | 15,40 |
| FAC010L000 | 10.00 | | 0,62 | FAC051L000 | 50.80 | 2" | 15,93 |
| FAC012L000 | 12.00 | | 0,89 | FAC055L000 | 55.00 | | 18,70 |
| FAC013L000 | 12.70 | 1/2" | 0,99 | FAC056L000 | 56.00 | | 19,30 |
| FAC014L000 | 14.00 | | 1,21 | FAC057L000 | 57.15 | 2"1/4 | 20,16 |
| FAC015L000 | 15.00 | | 1,39 | FAC060L000 | 60.00 | | 22,20 |
| FAC0159L00 | 15.87 | 5/8" | 1,56 | FAC063L000 | 63.00 | | 24,46 |
| FAC016L000 | 16.00 | | 1,58 | FAC064L000 | 63.50 | 2"1/2 | 24,89 |
| FAC018L000 | 18.00 | | 2,00 | FAC065L000 | 65.00 | | 26,08 |
| FAC019L000 | 19.05 | 3/4" | 2,22 | FAC070L000 | 70.00 | | 30,20 |
| FAC020L000 | 20.00 | | 2,47 | FAC075L000 | 75.00 | | 34,72 |
| FAC022L000 | 22.00 | | 2,98 | FAC076L000 | 76.20 | 3" | 35,84 |
| FAC023L000 | 22.22 | 7/8" | 3,04 | FAC080L000 | 80.00 | | 39,50 |
| FAC025L000 | 25.00 | | 3,95 | FAC085L000 | 85.00 | | 44,60 |
| FAC026L000 | 25.40 | 1" | 3,98 | FAC089L000 | 88.90 | 3"1/2 | 48,40 |
| FAC028L000 | 28.00 | | 4,83 | FAC090L000 | 90.00 | | 49,91 |
| FAC029L000 | 28.58 | 1"1/8 | 5,03 | FAC095L000 | 95.00 | | 55,61 |
| FAC030L000 | 30.00 | | 5,55 | FAC100L000 | 100.00 | | 61,62 |
| FAC031L000 | 31.75 | 1"1/4 | 6,22 | FAC102L000 | 101.60 | 4" | 63,60 |
| FAC032L000 | 32.00 | | 6,31 | FAC105L000 | 105.00 | | 68,22 |
| FAC034L000 | 34.94 | 1"3/8 | 7,51 | FAC110L000 | 110.00 | | 74,60 |
| FAC035L000 | 35.00 | | 7,55 | FAC114L000 | 114.30 | 4"1/2 | 80,00 |
| FAC036L000 | 36.00 | | 7,99 | FAC120L000 | 120.00 | | 88,60 |
| FAC038L000 | 38.00 | | 8,91 | FAC125L000 | 125.00 | | 96,50 |
| FAC039L000 | 38.10 | 1"1/2 | 8,96 | FAC130L000 | 130.00 | | 104,20 |
| FAC040L000 | 40.00 | | 9,86 | FAC140L000 | 140.00 | | 120,84 |
| FAC044L000 | 44.45 | 1"3/4 | 12,20 | FAC150L000 | 150.00 | | 138,72 |
| FAC045L000 | 45.00 | | 12,50 | | | | |

MATERIALE : ACCIAIO UNI C45 SAE 1045 - CROMO 25 MICRON ±5 Rating 9 / 120 h ISO 10289 - 1999/ISO 9227-NSS
 MATERIAL : STEEL UNI C45 SAE 1045 - CHROME 25 MICRON ±5 Rating 9 / 120 h ISO 10289 - 1999/ISO 9227-NSS

20MnV6 ASTA CROMATA
20MnV6 CHROME PLATED ROD

FACV

| Codice Code | Ø mm | kg/m |
|-------------|------|-------|
| FACV020L00 | 20 | 2,47 |
| FACV025L00 | 25 | 3,95 |
| FACV030L00 | 30 | 5,55 |
| FACV035L00 | 35 | 7,55 |
| FACV040L00 | 40 | 9,86 |
| FACV045L00 | 45 | 12,50 |
| FACV050L00 | 50 | 15,40 |
| FACV060L00 | 60 | 22,20 |
| FACV070L00 | 70 | 30,20 |
| FACV080L00 | 80 | 39,50 |
| FACV090L00 | 90 | 49,91 |
| FACV100L00 | 100 | 61,69 |

MATERIALE : ACCIAIO 20MnV6 - CROMO 25 MICRON ±5
 Rating 9 / 120 h ISO 10289 - 1999/ISO 9227-NSS
 MATERIAL : STEEL 20MnV6 - CHROME 25 MICRON ±5
 Rating 9 / 120 h ISO 10289 - 1999/ISO 9227-NSS

500h ASTA CROMATA
500h CHROME PLATED ROD

FACM

| Codice Code | Ø mm | kg/m |
|-------------|------|-------|
| FACM020000 | 20 | 2,47 |
| FACM025000 | 25 | 3,95 |
| FACM030000 | 30 | 5,55 |
| FACM035000 | 35 | 7,55 |
| FACM040000 | 40 | 9,86 |
| FACM045000 | 45 | 12,50 |
| FACM050000 | 50 | 15,40 |
| FACM060000 | 60 | 22,20 |
| FACM070000 | 70 | 30,20 |
| FACM080000 | 80 | 39,50 |
| FACM090000 | 90 | 49,91 |
| FACM100000 | 100 | 61,69 |

MATERIALE : ACCIAIO UNI C45 SAE 1045 - CROMO 25 MICRON ±5
 Rating 9 / 500 h ISO 10289 - 1999/ISO 9227-NSS
 MATERIAL : STEEL UNI C45 SAE 1045 - CROMO 25 MICRON ±5
 Rating 9 / 500 h ISO 10289 - 1999/ISO 9227-NSS

ALTRE MISURE A RICHIESTA - OTHER DIMENSIONS ON REQUEST

ASTA CROMATA A RICHIESTA:
 C45 TEMPRATA A INDUZIONE
 C45 CROMO 45±5 my e 70±5 my
 42CrMO4 BONIFICATA
 42CrMO4 BONIFICATA e TEMPRATA
 TUBO CROMATO ESTERNAMENTE

CHROME PLATED ROD ON REQUEST:
 C45 INDUCTION-HARDENED
 C45 CHROME 45±5 my and 70±5 my
 42CrMO4 RECLAIMED
 42CrMO4 RECLAIMED and INDUCTION-HARDENED
 EXTERNALLY CHROMIUM PLATED TUBE

FTE TUBO PER CONDUTTURA
FEED PIPE

| Codice Code | Ø mm | Spessore Thickness mm | kg/m |
|-------------|------|-----------------------|------|
| FTE0604000 | 6 | 1.0 | 0,12 |
| FTE0603000 | 6 | 1.5 | 0,16 |
| FTE0602000 | 6 | 2.0 | 0,20 |
| FTE0806000 | 8 | 1.0 | 0,17 |
| FTE0805000 | 8 | 1.5 | 0,24 |
| FTE0804000 | 8 | 2.0 | 0,30 |
| FTE1008000 | 10 | 1.0 | 0,22 |
| FTE1007000 | 10 | 1.5 | 0,31 |
| FTE1006000 | 10 | 2.0 | 0,39 |
| FTE1210000 | 12 | 1.0 | 0,27 |
| FTE1209000 | 12 | 1.5 | 0,38 |
| FTE1208000 | 12 | 2.0 | 0,49 |
| FTE1206000 | 12 | 2.5 | 0,70 |
| FTE1207000 | 12 | 3.0 | 0,59 |
| FTE1411000 | 14 | 1.5 | 0,46 |
| FTE1410000 | 14 | 2.0 | 0,59 |
| FTE1409000 | 14 | 2.5 | 0,71 |
| FTE1513000 | 15 | 1.0 | 0,34 |
| FTE1512000 | 15 | 1.5 | 0,49 |
| FTE1511000 | 15 | 2.0 | 0,64 |
| FTE1510000 | 15 | 2.5 | 0,77 |
| FTE1613000 | 16 | 1.5 | 0,53 |
| FTE1612000 | 16 | 2.0 | 0,69 |
| FTE1611000 | 16 | 2.5 | 0,83 |
| FTE1610000 | 16 | 3.0 | 0,96 |
| FTE1815000 | 18 | 1.5 | 0,61 |
| FTE1814000 | 18 | 2.0 | 0,79 |
| FTE1813000 | 18 | 2.5 | 0,96 |
| FTE1812000 | 18 | 3.0 | 1,11 |
| FTE2017000 | 20 | 1.5 | 0,68 |
| FTE2016000 | 20 | 2.0 | 0,89 |
| FTE2015000 | 20 | 2.5 | 1,08 |
| FTE2014000 | 20 | 3.0 | 1,26 |
| FTE2218000 | 22 | 2.0 | 0,99 |
| FTE2217000 | 22 | 2.5 | 1,20 |
| FTE2216000 | 22 | 3.0 | 1,42 |
| FTE2521000 | 25 | 2.0 | 1,13 |
| FTE2520000 | 25 | 2.5 | 1,39 |
| FTE2519000 | 25 | 3.0 | 1,63 |
| FTE2517000 | 25 | 4.0 | 1,97 |
| FTE2515000 | 25 | 5.0 | 2,47 |
| FTE2824000 | 28 | 2.0 | 1,28 |
| FTE2823000 | 28 | 2.5 | 1,57 |
| FTE2822000 | 28 | 3.0 | 1,85 |
| FTE2820000 | 28 | 4.0 | 2,37 |
| FTE3026000 | 30 | 2.0 | 1,38 |
| FTE3025000 | 30 | 2.5 | 1,70 |
| FTE3024000 | 30 | 3.0 | 2,00 |
| FTE3022000 | 30 | 4.0 | 2,57 |
| FTE3531000 | 35 | 2.0 | 1,63 |
| FTE3530000 | 35 | 2.5 | 2,00 |
| FTE3529000 | 35 | 3.0 | 2,37 |
| FTE3527000 | 35 | 4.0 | 3,06 |
| FTE3832000 | 38 | 3.0 | 2,59 |
| FTE3830000 | 38 | 4.0 | 3,35 |
| FTE3828000 | 38 | 5.0 | 4,07 |
| FTE4238000 | 42 | 2.0 | 1,97 |
| FTE4236000 | 42 | 3.0 | 2,88 |
| FTE4234000 | 42 | 4.0 | 3,75 |
| FTE4232000 | 42 | 5.0 | 4,56 |

MATERIALE : ACCIAIO EN 235+N - E10305-4 S/S - FOSFATATO
MATERIAL : STEEL EN 235+N - E10305-4 S/S - PHOSPHATED

FTZ **NEW!** TUBO PER CONDUTTURA ZINCATO
ZINC PLATED FEED PIPE

| Codice Code | Ø mm | Spessore Thickness mm | kg/m |
|-------------|------|-----------------------|------|
| FTZ0604000 | 6 | 1.0 | 0,12 |
| FTZ0603000 | 6 | 1.5 | 0,16 |
| FTZ0602000 | 6 | 2.0 | 0,20 |
| FTZ0806000 | 8 | 1.0 | 0,17 |
| FTZ0805000 | 8 | 1.5 | 0,24 |
| FTZ0804000 | 8 | 2.0 | 0,30 |
| FTZ1008000 | 10 | 1.0 | 0,22 |
| FTZ1007000 | 10 | 1.5 | 0,31 |
| FTZ1006000 | 10 | 2.0 | 0,39 |
| FTZ1210000 | 12 | 1.0 | 0,27 |
| FTZ1209000 | 12 | 1.5 | 0,38 |
| FTZ1208000 | 12 | 2.0 | 0,49 |
| FTZ1207000 | 12 | 2.5 | 0,70 |
| FTZ1206000 | 12 | 3.0 | 0,59 |
| FTZ1411000 | 14 | 1.5 | 0,46 |
| FTZ1410000 | 14 | 2.0 | 0,59 |
| FTZ1409000 | 14 | 2.5 | 0,71 |
| FTZ1513000 | 15 | 1.0 | 0,34 |
| FTZ1512000 | 15 | 1.5 | 0,49 |
| FTZ1511000 | 15 | 2.0 | 0,64 |
| FTZ1510000 | 15 | 2.5 | 0,77 |
| FTZ1613000 | 16 | 1.5 | 0,53 |
| FTZ1612000 | 16 | 2.0 | 0,69 |
| FTZ1611000 | 16 | 2.5 | 0,83 |
| - | - | - | - |
| FTZ1815000 | 18 | 1.5 | 0,61 |
| FTZ1814000 | 18 | 2.0 | 0,79 |
| FTZ1813000 | 18 | 2.5 | 0,96 |
| FTZ1812000 | 18 | 3.0 | 1,11 |
| FTZ2017000 | 20 | 1.5 | 0,68 |
| FTZ2016000 | 20 | 2.0 | 0,89 |
| FTZ2015000 | 20 | 2.5 | 1,08 |
| FTZ2014000 | 20 | 3.0 | 1,26 |
| FTZ2218000 | 22 | 2.0 | 0,99 |
| FTZ2217000 | 22 | 2.5 | 1,20 |
| FTZ2216000 | 22 | 3.0 | 1,42 |
| FTZ2521000 | 25 | 2.0 | 1,13 |
| FTZ2520000 | 25 | 2.5 | 1,39 |
| FTZ2519000 | 25 | 3.0 | 1,63 |
| FTZ2517000 | 25 | 4.0 | 1,97 |
| - | - | - | - |
| FTZ2824000 | 28 | 2.0 | 1,28 |
| FTZ2823000 | 28 | 2.5 | 1,57 |
| FTZ2822000 | 28 | 3.0 | 1,85 |
| FTZ2820000 | 28 | 4.0 | 2,37 |
| FTZ3026000 | 30 | 2.0 | 1,38 |
| FTZ3025000 | 30 | 2.5 | 1,70 |
| FTZ3024000 | 30 | 3.0 | 2,00 |
| FTZ3022000 | 30 | 4.0 | 2,57 |
| FTZ3531000 | 35 | 2.0 | 1,63 |
| FTZ3530000 | 35 | 2.5 | 2,00 |
| FTZ3529000 | 35 | 3.0 | 2,37 |
| FTZ3527000 | 35 | 4.0 | 3,06 |
| FTZ3832000 | 38 | 3.0 | 2,59 |
| FTZ3830000 | 38 | 4.0 | 3,35 |
| FTZ3828000 | 38 | 5.0 | 4,07 |
| FTZ4238000 | 42 | 2.0 | 1,97 |
| FTZ4236000 | 42 | 3.0 | 2,88 |
| FTZ4234000 | 42 | 4.0 | 3,75 |
| - | - | - | - |

MATERIALE : ACCIAIO EN 235+N - E10305-4 S/S ZINCATO+PASSIVATO BIANCO SENZA CROMO ESAVALENTE
MATERIAL : STEEL EN 235+N - E10305-4 S/S ZINC PLATED AND PASSIVATED FEEDPIPE FREE OF HEXAVALENT CHROME

ALTRE MISURE A RICHIESTA - OTHER DIMENSIONS ON REQUEST

GHISA
CAST IRON

FGP

| Codice Code | Ø mm | kg/m | Codice Code | Ø mm | kg/m |
|-------------|------|-------|-------------|------|--------|
| FGP0350000 | 35 | 7,21 | FGP1250000 | 125 | 91,93 |
| FGP0400000 | 40 | 9,41 | FGP1300000 | 130 | 99,43 |
| FGP0450000 | 45 | 11,91 | FGP1400000 | 140 | 115,31 |
| FGP0500000 | 50 | 14,71 | FGP1450000 | 145 | 123,70 |
| FGP0550000 | 55 | 17,80 | FGP1500000 | 150 | 132,37 |
| FGP0600000 | 60 | 21,18 | FGP1550000 | 155 | 141,35 |
| FGP0650000 | 65 | 24,86 | FGP1600000 | 160 | 150,61 |
| FGP0700000 | 70 | 28,83 | FGP1700000 | 170 | 170,03 |
| FGP0750000 | 75 | 33,09 | FGP1800000 | 180 | 190,62 |
| FGP0800000 | 80 | 37,65 | FGP1900000 | 190 | 212,39 |
| FGP0850000 | 85 | 42,51 | FGP2000000 | 200 | 235,33 |
| FGP0900000 | 90 | 47,65 | FGP2100000 | 210 | 259,45 |
| FGP0950000 | 95 | 53,10 | FGP2200000 | 220 | 284,75 |
| FGP1000000 | 100 | 58,83 | FGP2300000 | 230 | 311,23 |
| FGP1050000 | 105 | 64,86 | FGP2500000 | 250 | 367,71 |
| FGP1100000 | 110 | 71,19 | FGP2600000 | 260 | 397,71 |
| FGP1150000 | 115 | 77,81 | FGP2700000 | 270 | 428,89 |
| FGP1200000 | 120 | 84,72 | | | |

MATERIALE : GHISA OLEODINAMICA EN-GJL 250 (G25-UNI 5007/EN 1561)

MATERIAL : HYDRAULIC CAST IRON EN-GJL 250 (G25-UNI 5007/EN 1561)

AISI 316 - TUBO LEVIGATO H8
AISI 316 - HONED TUBE H8

FTLX

| Codice Code | Ø Esterno O.D. mm | Ø Interno I.D. mm | kg/m |
|-------------|-------------------|-------------------|------|
| FTLX050040 | 50 | 40 | 5,55 |
| FTLX060050 | 60 | 50 | 6,78 |
| FTLX070060 | 70 | 60 | 8,01 |
| FTLX080070 | 80 | 70 | 9,25 |

MATERIALE : ACCIAIO INOSSIDABILE AISI 316

MATERIAL : STAINLESS STEEL AISI 316

AISI 304 ASTA CROMATA
AISI 304 CHROME PLATED ROD

FAX304

| Codice Code | Ø mm | kg/m |
|-------------|------|-------|
| FAX304.020 | 20 | 2,47 |
| FAX304.025 | 25 | 3,95 |
| FAX304.030 | 30 | 5,55 |
| FAX304.035 | 35 | 7,55 |
| FAX304.040 | 40 | 9,86 |
| FAX304.045 | 45 | 12,50 |
| FAX304.050 | 50 | 15,40 |
| FAX304.060 | 60 | 22,20 |
| FAX304.070 | 70 | 30,20 |

MATERIALE : ACCIAIO INOSSIDABILE AISI 304 - CROMO 25 MICRON ±5

MATERIAL : STAINLESS STEEL AISI 304 - CHROME 25 MICRON ±5

A RICHIESTA : ASTA ACCIAIO INOSSIDABILE RETTIFICATO (H8) AISI 304
ON REQUEST : STAINLESS STEEL ROD RECTIFIED (H8) AISI 304

ALTRE MISURE A RICHIESTA - OTHER DIMENSIONS ON REQUEST

AISI 316 ASTA CROMATA
AISI 316 CHROME PLATED ROD

FAX316

| Codice Code | Ø mm | kg/m |
|-------------|------|-------|
| FAX316.020 | 20 | 2,47 |
| FAX316.025 | 25 | 3,95 |
| FAX316.030 | 30 | 5,55 |
| FAX316.035 | 35 | 7,55 |
| FAX316.040 | 40 | 9,86 |
| FAX316.050 | 50 | 15,40 |

MATERIALE : ACCIAIO INOSSIDABILE AISI 316 - CROMO 25 MICRON ±5

MATERIAL : STAINLESS STEEL AISI 316 - CHROME 25 MICRON ±5